

the

ROYAL
CARGO

XR SERIES



**Proudly
Canadian**

DEFINING VALUE

ALUMINUM ONE PIECE ROOF

- Eliminates seams to ensure the cargo stays dry
- Bowed roof enhances drainage/ prevents pooling
- Aluminum skin will never rust



ENGAGER™ TRAILER BREAKAWAY SYSTEM

- LED display lets you confirm your trailer is safe to tow
- User can confirm truck is charging the unit
- Advise user when battery is low
- Activates trailer brakes upon separation from the tow vehicle
- Never have to worry about D.O.T. check stops



ALUMINUM RIMS*

- Greatly improve the look of your trailer
- Reduce the dead weight that you are pulling around with steel wheels
- They will never rust



L.E.D. TAIL LIGHTS

- Brighter more efficient light
- LED uses less energy
- Lifetime warranty
- Zero maintenance



GALVANIZED HEAVY DUTY DOOR HINGES

- Brass bushings
- Zinc coated provides superior finish
- Galvanization inhibits rust



ADJUSTABLE TORSION AXLES

- Easily adjustable ride height
- A removable spindle means that a damaged spindle no longer requires replacement of the entire axle; simply replace the spindle, saving significant costs
- Lubed spindle provides the convenience of verifying that the bearings are saturated with grease



the **XR**



XR 5
XRCHS29-510-64



XR CUSTOM
XRARSMT60-7520-78 CP



XR BIKE
XRARCT35-7514-72

SERIES



XR CARHAULER
XRARCT52-8522-78



XR SPORT
XRCHT35-716-86



XR SLED
XRARSMT35-8526-78



PRIMED/PAINTED TUBING SKELETON

- Entire frame constructed of hollow structural steel (HSS)
- Full tubing construction means increased strength
- Full frame is phosphate washed/primer coated
- Exposed surfaces receives 2 coats of automotive topcoat for added protection
- Automotive finish



RIVETLESS SMOOTH EXTERIOR

- Industry leading smooth exterior allows for easy decal application
- A **3M** VHB (very high bond) tape seals between the aluminum panels
- VHB tape allows aluminum to expand and contract with temperature fluctuations



INTERIOR FINISH

- Built to suit all your needs, construction or recreational
- 3/4" select grade plywood floor
- 3/8" select grade wall

**Picture showing white wall / white ceiling finish



AUTOMOTIVE UNDERCOATING

- Automotive quality undercoating
- Seals the full underside of the plywood/crossmembers
- Protects the plywood from exterior elements



MEZZANINE DECKING*

- High Grade structural decking
- Perfect for construction or recreational units
- Snowmobile Ski Carbides will not cut
- Easy to clean



V-NOSE FRONT

- Aerodynamic Sleek Finish
- V-Nose Style increases gas mileage
- Directs air resistance, allows for easy towing

*Optional

MODEL SPECIFICATIONS

| Model | XRCHT35-716-86 | XRARMCT35-7514-72 | XRARCT52-8522-78 | XRARSMT35-8520-78 | XRARSMT35-8526-78 | XRCHT35-716-78 | XRCHT60-818-78 | XRCHT60-822-78 | XRCHS29-510-64 | XRCHS29-612-72 | XRCHT35-614-72 |
|-----------------------|------------------|-------------------|------------------|--------------------|--------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Overall Length | 231" | 205" | 301" | 276" | 348" | 231" | 253" | 302" | 145" | 169" | 193" |
| Overall Width | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 102" | 81.5" | 93.5" | 93.5" |
| Overall Height | 109" | 95" | 104" | 111" | 111" | 99.5" | 104" | 104" | 83.5" | 91.5" | 92.5" |
| Interior Length | 188" | 165" | 260" | 245" | 317" | 188" | 211" | 260" | 116" | 140" | 164" |
| Interior Width | 82" | 88" | 96.25" | 96.25" | 96.25" | 81.25" | 96.25" | 96.25" | 57.25" | 69.25" | 69.25" |
| Interior Height | 86.25" | 72.25" | 78.25" | 78" | 78" | 78" | 78.25" | 78.25" | 64" | 72" | 72" |
| Rear Door Width* | 74" | 80" | 89" | 89" | 89" | 74" | 89" | 89" | 50" | 62" | 62" |
| Rear Door Height* | 81" | 67" | 76" | 76" | 76" | 73.5" | 73.5" | 73" | 60.5" | 67.5" | 67.5" |
| Axles | (2) 3,500lb | (2) 3,500lb | (2) 5,200lb | (2) 3,500lb | (2) 3,500lb | (2) 3,500lb | (2) 6,000lb | (2) 6,000lb | (1) 2,900lb | (1) 2,900lb | (2) 3,500lb |
| Brakes | Electric | Electric | Electric | Electric | Electric | Electric | Electric | Electric | None | None | Electric |
| Tires | ST205/R15 | ST205/R15 | ST225/R15 | ST205/R15 | ST205/R15 | ST205/R15 | ST235/80R16 | ST235/80R16 | ST205/R15 | ST205/R15 | ST205/R15 |
| Rims | 15" White Rims | 15" Alum Rim | 15" White Rim | 15" Alum Rim | 15" Alum Rim | 15" White Rims | 16" White Rims | 16" White Rims | 15" White Rims | 15" White Rims | 15" White Rims |
| Jack | 2,000lb Top Wind | 2,000lb Drop Leg | 5,000lb Top Wind | 5,000lb Drop Leg | 5,000lb Drop Leg | 2,000lb Top Wind | 5,000lb Top Wind | 5,000lb Top Wind | 2,000lb Top Wind | 2,000lb Top Wind | 2,000lb Top Wind |
| Coupler | 2-5/16" | 2-5/16" | 2-5/16" | 2-5/16" Adjustable | 2-5/16" Adjustable | 2-5/16" | 2-5/16" | 2-5/16" | 2" | 2" | 2-5/16" |
| Platform Height | 21" | 21" | 24" | 31" | 31" | 21" | 25" | 24" | 18" | 18" | 19" |
| HSS Structural Tubing | 4" x 2" | 4" x 2" | 6" x 2" | 6" x 2" | 6" x 2" | 4" x 2" | 5" x 2" | 6" x 2" | 3" x 2" | 3" x 2" | 4" x 2" |
| Side Door | 30" x 78" | 30" x 66" | 30" x 72" | 30" x 72" | 30" x 72" | 30" x 72" | 30" x 72" | 30" x 72" | None | 30" x 66" | 30" x 66" |

* denotes barn door measurements

SOUTHLAND
TRAILER CORP

1405 - 41st Street North, Lethbridge, Alberta, Canada T1H 6G3
Ph: 403.327.8212 | Fax: 403.327.8256 | www.southlandtrailers.com

Southland Trailer Corp. reserves the right to change or modify models and specifications without prior notice. Models may not be exactly as shown. © Copyright 2010 Southland Trailer Corp. Printed in Canada.